

FBS 7/16 - 632-4491 Randy Holtz
ext 419

195 Suss Rd
Buffalo NY 14225

VV-7

EE-1

SIT

Notes for loss, not for reproduction.

8-2 Sand with silt - fine grained to very fine grained, well sorted, subrounded, light gray and mineral and frosted quartz, trace surface loam; very dry. Eolian origin

2-10 ~~Sands~~ Sand ~100% fine to medium grained, well sorted subangular to subrounded, light to dark brown, and clear to frosted, quartz, mica, feldspar, hornblende or basalt, semi-dry,

10-20 Sand - 100%, fine to medium grained, well to moderately well sorted, subangular to subrounded, light olive brown and clear to frosted, semi-dry. Hard cemented sand layer 19'-20'.

26-35 Sands - fine to very fine grained, well sorted, subrounded, pale to dark yellowish brown, feldspar, hornblende, mica, semi-dry.

35-40 Sand ~~100% fine grained~~, fine to medium grained, moderately well to well sorted, subrounded, clear and light olive gray, Trace pebbles, 3-10 mm, silt, ~~3-10 mm~~ pebbles scattered throughout.

40-50 ~~-~~ Sand - 100% medium to fine grained, moderately well sorted, subrounded to subangular, clear frosted and dark yellowish brown, ~~quartz, mica, hornblende or basalt, feldspar~~. Trace pebbles mixed in, ~~mica~~ quartz, mica, hornblende or basalt, feldspar.

50-55 Sand - 100%, medium to coarse grained, poorly sorted subangular to angular, clear frosted and moderate olive brown, moist

USEPA SF



1452432

55-60 Gravelly sand - ~~6-~~. Sand - 70%, medium to very coarse grained, subrounded, poorly sorted, subrounded, dark gray to black and clear frosted, some mica, moist

80 9 7 7 5 0
80 8 0 0 7 0
80 8 0 0 7 0

Vil Mon 9pm

July 30

S
40
E
30
S
30

1-33

66-88 Sandy Gravel — Gravel 60%, coarse grained, poorly sorted subrounded, gray to black. Sand 40%, medium to very coarse, poorly sorted, subrounded, dark gray to black, clear frosted; feldspar mica, quartz. ~~Large pebbles and cobbles~~
Large cobbles in lower part.

$7^{30}-3^{45}$
20% silt
306 355
255
35 70

EEZ

~~Sediment~~ ~~Locality~~

~~Sediment~~

0-2 Silty Sand. ~ Sand - 80%, fine to very fine grained, well sorted, subrounded, light gray and clear frosted. Silt - 20%, very dry. Eolian Origin

2-10 Silty sand

~~Sand~~ - - Sand 80%, fine grained, well sorted, subrounded, clearfrosted and light to dark brown. Silt - 20%, light to dark brown, semi dry. Micaceous flakes intermixed. Garbage hit at 2', 1' layer of cemented sands at 8'.

well to moderately well sorted.

10-40 Sand - 100%, fine grained, ~~well sorted~~, subangular to subrounded, ~~clearfrosted~~ mostly clear frosted, some dark to medium olive brown, semi dry. ~~30'-1040'~~ small pebbles ~~are mixed in~~. Trace pebbles mixed in between 30' and 40'

40-60 Sand - 100%, coarse to medium grained, poorly sorted, subrounded to subangular, clear frosted and dusky olive brown to dark olive gray.

50-60 Sandy gravel Gravel - light gray, ^{and} clearfrosted, ~~subangular to~~ poorly sorted, ^{coarse to very coarse} subangular to angular. Sand, ~~subangular above 55'~~ subangular above 55', subrounded below 55', mostly dark gray or black, some clear frosted.

6	9.5
5	15.5
3	15.8
3	9.7

60-86 Gravelly sand. Gravel - poorly sorted, angular, dark gray. Sand, poorly sorted, angular, mostly dark gray to black, some clear frosty. Water at 65', Cobble and pebbles at 88'.

EE 3

SAND

0-2 SILTY SAND - Sand - 80%, fine to very fine grained, well sorted, subrounded to subangular, ^{light gray and opaque} light gray, includes sand sized micro granules.
Silt - 20%, light gray, micaceous, dry.

Sand with SILT Sand - 90%
2-10 ~~SAND~~ - ~~silt~~, fine grained, well sorted, subangular to subrounded, clear frosted and light to dark brown. Silt - 10%. Semi-dry, large amounts of wood from 3' to 17' sorghum encountered ~~at~~ (woolly bearcans, plastic, etc.).

(0-17) SAND - fine to medium grained, moderately well sorted, subangular to angular,
) dusky yellow brown, clear frosted, mica flakes, semi-dry,

17-20 SAND - ^{100%} medium grained, moderately well sorted, subangular to subrounded, ^{dark} olive brown,
Trace gray ~~Trace grayish~~ Trace gravel

-20-40 SAND - 100% fine grained, well to moderately well sorted, moderate to dark olive brown, mostly clear frosted, some moderate to dark yellow yellow brown.
Trace fine pebbles (4mm - 10mm) at 25' and 38'

4

40-50. ~~SAND~~ GRAVELLY SAND - poorly sorted, angular to subangular. Dark olive gray and clear frosted, a salt and pepper appearance

50m-87 GRAVELLY SAND - coarse, poorly sorted, subrounded to subangular, dark gray to black, ~~coarse grain~~, clear frosted. Gravel approx. 3 mm in size, 10mm - 15mm small pebbles at 57'. Flowing sands at 64'.

EE-4

0-2 SILTY SAND. Sand ~~80%~~ - 80%, very fine grained, well sorted, subangular to subrounded, light gray, frosted, and clear. Very dry. Surface loam present from 0' to 1'. Folien origin.

2-18 SAND. - 100%, fine ~~grain~~ to medium grained, moderately well sorted, Subangular, frosted and dark yellowish brown. Feldspar, mica, hornblende or basalt. Cemented sand at 13' to 14', increasingly coarse sand below.

18-20 SAND - 100% coarse, poorly sorted, subangular, ~~frosted~~ medium olive gray, frosted, trace gravel and 5mm-8mm pebbles.

20-30' ~~SAND 90%~~ SAND WITH GRAVEL - Sand - 90%, medium to coarse grained, angular to subangular, moderate to poorly sorted, ~~Angular~~ dusky yellowish brown and frosted. Gravel 10%, coarse grained, dark gray or black, Gravel found between 26'-30'.

20-35 SANDY GRAVEL - medium to coarse, moderately to poorly sorted, angular to subrounded semi-dry, light to moderate brown and frosted. Semi-dry

-35-45 GRAVELLY SAND, ~~or Sand~~ - angular to subangular, poorly sorted.

GRAVELLY SAND or Sand - angular to subangular, poorly sorted, olive gray to dark gray, and frosted. ~~gray~~, Gravel coarse, subangular, olive gray to dark gray.

45-72' GRAVEL - 100%, coarse to very coarse, poorly sorted, flowing, dark gray to black, and frosted. Trace sand, ~~pebbles~~ Trace pebbles and small cobbles at 60'.

EE - 5b

- 0-2 SILTY SAND - SAND - 80%, very fine, well sorted, subrounded, light to medium gray; clear, and frosted. Silt - 20%, light to medium gray. Surficial loam present.
- 2-10 SAND - ~~fine to medium grain~~ very fine to medium grained, subrounded to subangular, well to moderately sorted, subrounded to ~~subangular~~, frosted, and light to dark brown
- 10-20 ~~SAND = 100%~~, ~~fine to medium grain~~, subangular
- 10-20 SAND - 100% fine to medium grained, well to moderately well sorted, subrounded to subangular, frosty and clear, also dark olive brown
Semi-dry.
- 20-40 SAND - 100%, fine to coarse grained, poorly to moderately sorted; subangular, frosty, dark olive gray, frosty quartz, ^{and} dark ~~dark~~ olive gray, becomes frosty and dark olive gray (~~then changes to~~ changes to dusty olive gray below 35' becomes coarser and olive gray below 35'). Granules and small pebbles (6mm-16mm) at 35'. Semi-dry
- 40-50 SANDY GRAVEL - coarse, poorly sorted, subangular, dark olive gray to gray and frosted
~~gray~~ Trace pebbles (10mm).
- 50-57 SAND and GRAVEL - Coarse to very coarse, angular to subangular, dark gray
- 50-57 GRAVELLY SAND - angular to subangular
to block, and frosty.
- 57-75 GRAVEL with sand - Gravel - 70%, very coarse, poorly sorted, angular. Sand - 10% coarse, subrounded. Flowing occurs at 57'-58' Trace pebbles and cobbles.
Flowing occurs at 57'-58'. Saturated

0-2 SILTY SAND — fine to very fine ^{grained} sand, well sorted, light to medium gray, and frosty and transparent. Mostly quartz, dry.
~~no~~ Surficial loam found. Eolian Origin.

2-10 SAND with some SILT — Sand — fine to very fine ^{grained} sand, well sorted, light to medium brown. Most silt found in ~~up~~ 2'-5'. Pebbles, cobbles, and gravel at 3'-6'.

10-40 SAND — fine to ~~medium~~ ^{coarse} grained, well to moderately well sorted, subrounded to subangular, ~~some cemented~~ mostly frosty, ~~some~~ dark yellowish to olive brown. Semi-dry, ~~an~~ occasional cemented layer, 4mm-6mm pebbles ~~in lower part~~ in lower part.

50-60

~~50-60~~ SANDY GRAVEL with ^{clay} — frosty or dark olive gray to black.

Gravel — coarse to very coarse, subangular, dark gray to black,

Sand — coarse, poorly sorted, subangular to subrounded, semi-dry frosty and dark gray olive gray. Clay! — silty clay in ~~sporadic~~ occasional seams. Small granules and pebbles at 58'

90-100

SAND — coarse to medium, moderately well poorly to poorly sorted, subangular to subrounded to angular, frosty and dark olive gray. Moist.

60-75 — GRAVELLY SAND with pebbles — coarse to very coarse ^{grained} poorly sorted, subangular to angular, dark gray to black, and frosty. Pebbles — 10mm-20mm.

75-100

GRAVEL with SAND — very coarse grained, very poorly sorted, angular, dark gray to black, and frosty. Salt and pepper appearance, great amount of flow.

EE - 7

- 0-2 ~~SILTY~~ SILTY SAND — fine grained, well sorted, subrounded, light gray and frosted to transparent. Surface lamination and debris present.
Eolian origin
- 2-10 SILTY SAND — fine to very fine grained, well to moderately well sorted, subangular, light to medium brown, and frosted. Fill material (old car parts, glass, wood, etc. between 6' and 9'
- 10-20 SAND' — fine to medium grained, moderately well sorted, subangular to subrounded, mostly frosted quartz, some dark to moderate olive brown. Semi dry, 1mm-2mm granules at 14', micaeous flakes at 16'.
- 20-40 SAND — medium to fine grained, moderately well sorted, subangular to subrounded. Mostly frosted, some dark to moderate olive brown, fine to medium grained semi dry. Small pebbles (6mm-10mm) at 28', cemented sand layer between 36-38'.
- 40-70 SANDY GRAVEL — medium to coarse grained, poorly sorted, subangular to subrounded, cloudy, ^{or} grayish olive brown, becomes cloudy or dark grayish brown and angular below 50'. Semi dry small pebbles (6mm-10mm) (10-15mm) at 58'.
- 70-101 GRAVELLY SAND — poorly sorted, subangular to subrounded, mostly dark gray to black, and frosted quartz. A ~~few~~ pebbles and small cobbles at 66', flowing bands at 76'.

6-2 SILTY SAND — very fine grained, well sorted, light to medium gray, and frosted. Dry, mixed flakes, surficial loam mixed in. Eolian Origin.

2-10 SAND with some SILT. Sand — fine grained, well sorted, ~~subrounded~~
subrounded to subangular, mostly frosted, ~~and~~ moderate olive brown.
Small pebbles at 7'.

10-20 SAND — fine grained, well to moderately well sorted, subangular to subrounded,
mostly frosted, also moderate olive brown. Becomes coarser below 18'.

20-50' Sand — fine to medium grained, well to moderately well sorted, angular to
subangular, mostly frosted, also moderate to dark olive brown. Semi-dry. Occasional
1'-2' lenses of cemented sand. Small pebble layers at 35', 47', and 50', becomes
coarser at 49'.

50-70' SANDY GRAVEL — poorly sorted, subangular to subrounded, dark grayish brown to
black, also frosted, ~~but~~ changes to dusky yellow brown and frosted below 60'.
Pebbles ~~at 54'~~ (10-20mm) at 54'.

70-100 GRAVELLY SAND — poorly sorted, subangular to angular gravel, subrounded sand,
dusky yellow brown to dark grayish black, becomes darker between 70' and 80'.

EE - 9

92 / 50
113 — 61. *
116.5" 63. 3.

0-2 Silty sand - fine to very fine, well sorted, subrounded to subangular, light to medium gray, ~~and~~ clear, and frosted. Eolian origin.

2-10 SAND - fine to medium grained, well sorted to moderately well sorted, subangular to angular, light to dark brown, and frosted. Large pebbles and fill material between 8' and 10'.

16-30 fine to medium grained.
SAND - Subangular to subrounded, moderately well to well sorted, subangular
to subrounded, mostly frosted, also dark ~~and~~^{to} moderate olive brown. Large mica flakes.
Pebbles (4-10 mm) at 18°. Occasional cemented sand.

30-50. SAND - Medium grained, moderately poorly to poorly sorted, subangular to subrounded, mostly frosted, also moderate olive brown. Extensive cemented sand at 35' and 44'

SAND with GRAVEL. Sand - coarse grained, poorly sorted, subrounded, dark grey and frosted
Gravel - subangular very well sorted, subrounded. Small pebbles (5-8mm) at 55';
becomes coarse below 58'.

161-63 Sandy Gravel — poorly sorted, subangular, dark gray to black, and frosted

63-100 Gravelly Sand. - Sand, very poorly sorted, angular, dark gray, moist to
saturated. Sand ~~very poorly sorted~~ Gravel, very well sorted. Cobbles
and pebbles at 85'-100', flowing sand at 77'. Gravelly
~~sands have set~~, sands here set an pepper look